

Instrument Schedule**FOH 2**

In	Instrument Type	Purpose	Chan	Addr	Pwr C	ND	Frost	Cl & Gobo
1	ETC S4S3 XDLT 19°	SL Caliper Front	(16)	2/1	604	039	R119	
2	ETC S4 14° 750W	Spare	(301)	1/56				
3	ETC S4 14° 750W	Spare	(302)	1/55				
4	ETC S4S3 XDLT 19°	A1 Front	(1)	2/13	604	039	R119	
5	Varilite VL-3500Q Spot	Moving Profile - FOH	(101)	2/301	Brkr.	22/24		
6	ETC S4 14° 750W	Spare	(303)	1/52				
7	ETC S4S3 XDLT 19°	A2 Front	(2)	2/25	604	039	R119	
8	ETC S4 14° 750W	Spare	(304)	1/51				
9	ETC S4 14° 750W	Spare	(305)	1/50				
10	ETC S4S3 XDLT 19°	A3 Front	(3)	2/37	604	039	R119	
11	ETC S4 14° 750W	Spare	(306)	1/49				
12	Varilite VL-3500Q Spot	Moving Profile - FOH	(102)	2/332	Brkr.	26/28		
13	ETC S4 14° 750W	Spare	(307)	1/47				
14	ETC S4 14° 750W	Spare	(308)	1/46				
15	ETC S4S3 XDLT 19°	A4 Front	(4)	2/49	603	040	R119	
16	ETC S4 14° 750W	Spare	(309)	1/45				
17	Varilite VL-3500Q Spot	Moving Profile - FOH	(103)	2/363	Brkr.	30/32		
18	ETC S4 14° 750W	Lectern Front	(300)	1/43			R119	
19	ETC S4S3 XDLT 19°	A5 Front	(5)	2/61	603	040	R119	
20	ETC S4 14° 750W	Spare	(310)	1/42				
21	ETC S4 14° 750W	Spare	(311)	1/41				
22	ETC S4S3 XDLT 19°	SR Caliper Front	(17)	2/73	603	040	R119	

Instrument Schedule**FOH 1A (Lower Pipe)**

In	Instrument Type	Purpose	Chan	Addr	Pwr C	ND	Frost	Cl & Gobo
1	ETC S4S3 EDLT 26°	A6 Front	(6)	2/85	602	072	R119	
2	ETC S4S3 EDLT 19°	Moving Special - FOH	(141)	2/205	600	092	R132	
2a	Rosco I-Cue	Moving Special - FOH	(141)	2/229	600	092	R132	
2b	DMX Auto Iris	Moving Special - FOH	(141)	2/233	600	092	R132	
3	ETC S4S3 EDLT 26°	A7 Front	(7)	2/97	602	072	R119	
4	ETC S4S3 EDLT 26°	A8 Front	(8)	2/109	602	072	R119	
5	ETC S4S3 XDLT 19°	A13 Front	(13)	2/169	601	071	R119	
6	ETC S4S3 EDLT 26°	A9 Front	(9)	2/121	601	071	R119	
7	ETC S4S3 EDLT 19°	Moving Special - FOH	(142)	2/217	600	092	R132	
7a	Rosco I-Cue	Moving Special - FOH	(142)	2/234	600	092	R132	
7b	DMX Auto Iris	Moving Special - FOH	(142)	2/238	600	092	R132	
8	ETC S4S3 EDLT 26°	A10 Front	(10)	2/133	601	071	R119	

Instrument Schedule**FOH 1**

In	Instrument Type	Purpose	Chan	Addr	Pwr C	ND	Frost	Cl & Gobo
1	ETC S4 19° 750W	Spare	(312)	1/86				
2	ETC S4S3 XDLT 19°	A11 Front	(11)	2/145	602	072	R119	
4	ETC S4 19° 750W	Spare	(313)	1/83				
5	ETC S4S3 XDLT 19°	A12 Front	(12)	2/157	602	072	R119	
6	ETC S4 19° 750W	Spare	(314)	1/81				
7	ETC S4 19° 750W	Spare	(315)	1/80				
7	ETC S4 19° 750W	Spare	(316)	1/78				
8	ETC S4 19° 750W	Spare	(317)	1/77				
9	ETC S4 19° 750W	Spare	(318)	1/76				
10	ETC S4S3 XDLT 19°	A14 Front	(14)	2/181	601	071	R119	
11	ETC S4 19° 750W	Spare	(319)	1/74				
13	ETC S4S3 XDLT 19°	A15 Front	(15)	2/193	601	071	R119	
14	ETC S4 19° 750W	Spare	(320)	1/70				

APRON CEILING

In	Instrument Type	Purpose	Chan	Addr	Pwr C	ND	Frost	Cl & Gobo
1	ETC CS Spot V 36°	DSL Apron Top	(41)	2/401	640	437	R119	
2	ETC CS Spot V 36°	DSL Apron Top	(42)	2/409	640	437	R119	
3	ETC CS Spot V 36°	DSC Apron Top	(43)	2/417	640	437	R119	
4	Colortran Mini-Zoom	Conductor Top	(357)	1/91				
5	ETC CS Spot V 36°	DSC Apron Top	(44)	2/425	640	437	R119	
6	ETC CS Spot V 36°	DSR Apron Top	(45)	2/433	640	437	R119	
7	ETC CS Spot V 36°	DSR Apron Top	(46)	2/441	640	437	R119	

Instrument Schedule

07/17/2026

LX 1

In	Instrument Type	Purpose	Chan	Addr	Pwr C	ND	Frost	Cl & Gobo
1	ETC S4S3 EDLT 26°	DSL Hi-Side Gobo <	(154)	11/1	608	095		G:R77806 Leaf Breakup
2	ETC S4S3 EDLT 26°	DSL Hi-Side <	(54)	11/37	608	095	R119	
3	ETC S4S3 EDLT 26°	DSC Hi-Side Gobo <	(155)	11/13	608	095		G:R77806 Leaf Breakup
4	ETC S4S3 EDLT 26°	DSC Hi-Side <	(55)	11/49	608	095	R119	
5	ETC S4 Zoom 25-50°	Spare	(321)	1/99				
6	Elation Fuze Wash FR	Moving Wash	(131)	4/1	606	096		
7	ETC CS Spot V 36°	LED Top	(21)	11/145	605	097	R119	
8	ETC S4 Zoom 25-50°	Spare	(322)	1/100				
9	ETC S4S3 EDLT 26°	DSR Hi-Side Gobo <	(156)	11/25	609	098		G:R77806 Leaf Breakup
10	ETC S4S3 EDLT 26°	DSR Hi-Side <	(56)	11/61	609	098	R119	
11	ETC S4 Zoom 25-50°	Spare	(323)	1/101				
12	ETC CS Spot V 36°	LED Top	(22)	11/153	605	097	R119	
13	ETC S4 Zoom 25-50°	Spare	(324)	1/102				
14	Elation Fuze Teatro	Moving Profile	(111)	4/101	606	096		
15	ETC S4 Zoom 25-50°	Spare	(325)	1/103				
16	ETC CS Spot V 36°	LED Top	(23)	11/161	605	097	R119	
17	ETC S4 Zoom 25-50°	Spare	(326)	1/247				
18	Elation Fuze Teatro	Moving Profile	(112)	4/162	607	246		
19	ETC S4 Zoom 25-50°	Spare	(327)	1/248				
20	ETC CS Spot V 36°	LED Top	(24)	11/169	605	097	R119	
21	ETC S4 Zoom 25-50°	Spare	(328)	1/249				
22	ETC S4S3 EDLT 26°	DSL Hi-Side >	(74)	11/73	609	098	R119	
23	ETC S4S3 EDLT 26°	DSL Hi-Side Gobo >	(174)	11/109	609	098		G:R77806 Leaf Breakup
24	ETC S4 Zoom 25-50°	Spare	(329)	1/250				
25	ETC CS Spot V 36°	LED Top	(25)	11/177	605	097	R119	

Instrument Schedule**LX 1**

In	Instrument Type	Purpose	Chan	Addr	Pwr C	ND	Frost	Cl & Gobo
26	Elation Fuze Wash FR	Moving Wash	(132)	4/48	607	246		
27	ETC S4 Zoom 25-50°	Spare	(330)	1/251				
28	Strand SL 23/50	Lectern Top	(331)	1/252				
29	ETC S4S3 EDLT 26°	DSC Hi-Side >	(75)	11/85	610	245	R119	
30	ETC S4S3 EDLT 26°	DSC Hi-Side Gobo >	(175)	11/121	610	245		G:R77806 Leaf Breakup
31	ETC S4S3 EDLT 26°	DSR Hi-Side >	(76)	11/97	610	245	R119	
32	ETC S4S3 EDLT 26°	DSR Hi-Side Gobo >	(176)	11/133	610	245		G:R77806 Leaf Breakup

Instrument Schedule**LX 2**

In	Instrument Type	Purpose	Chan	Addr	Pwr C	ND	Frost	Cl & Gobo
1	ETC S4S3 EDLT 26°	MSL Hi-Side Gobo <	(157)	11/185	610	119		G:R77806 Leaf Breakup
2	ETC S4S3 EDLT 26°	MSL Hi-Side <	(57)	11/221	610	119	R119	
3	ETC S4S3 EDLT 26°	MSC Hi-Side Gobo <	(158)	11/197	610	119		G:R77806 Leaf Breakup
4	ETC S4S3 EDLT 26°	MSC Hi-Side <	(58)	11/233	610	119	R119	
5	ETC S4S3 EDLT 36°	Spare	(332)	11/429	615	271		
6	ETC S4S3 EDLT 36°	Spare	(333)	11/441	615	271		
7	ETC CS Spot V 36°	LED Top	(26)	11/329	614	269	R119	
8	ETC S4S3 EDLT 26°	MSR Hi-Side Gobo <	(159)	11/209	612	120		G:R77806 Leaf Breakup
9	ETC S4S3 EDLT 26°	MSR Hi-Side <	(59)	11/245	612	120	R119	
10	ETC S4S3 EDLT 26°	Moving Special	(143)	11/369	616	272	R132	
10 a	Rosco I-Cue	Moving Special	(143)	7/1	616	272	R132	
10 b	DMX Auto Iris	Moving Special	(143)	7/5	616	272	R132	
11	ETC CS Spot V 36°	LED Top	(27)	11/337	614	269	R119	
12	ETC S4S3 EDLT 26°	Moving Special	(144)	11/381	616	272	R132	
12 a	Rosco I-Cue	Moving Special	(144)	7/6	616	272	R132	
12 b	DMX Auto Iris	Moving Special	(144)	7/10	616	272	R132	
13	ETC S4S3 EDLT 26°	Moving Special	(145)	11/393	616	272	R132	
13 a	Rosco I-Cue	Moving Special	(145)	7/11	616	272	R132	
13 b	DMX Auto Iris	Moving Special	(145)	7/15	616	272	R132	
14	ETC CS Spot V 36°	LED Top	(28)	11/345	614	269	R119	
15	ETC S4S3 EDLT 36°	Spare	(334)	11/453	615	271		
16	ETC S4S3 EDLT 26°	Moving Special	(146)	11/405	616	272	R132	

Instrument Schedule**LX 2**

In	Instrument Type	Purpose	Chan	Addr	Pwr C	ND	Frost	Cl & Gobo
16 a	Rosco I-Cue	Moving Special	(146)	7/16	616	272	R132	
16 b	DMX Auto Iris	Moving Special	(146)	7/20	616	272	R132	
17	ETC CS Spot V 36°	LED Top	(29)	11/353	614	269	R119	
18	ETC S4S3 EDLT 26°	Moving Special	(147)	11/417	616	272	R132	
18 a	Rosco I-Cue	Moving Special	(147)	7/21	616	272	R132	
18 b	DMX Auto Iris	Moving Special	(147)	7/25	616	272	R132	
19	ETC S4S3 EDLT 26°	MSL Hi-Side >	(77)	11/257	612	120	R119	
20	ETC S4S3 EDLT 26°	MSL Hi-Side Gobo >	(177)	11/293	612	120		G:R77806 Leaf Breakup
21	ETC CS Spot V 36°	LED Top	(30)	11/361	614	269	R119	
22	ETC S4S3 EDLT 36°	Spare	(335)	11/465	615	271		
23	ETC S4S3 EDLT 36°	Spare	(336)	11/477	615	271		
24	ETC S4S3 EDLT 26°	MSC Hi-Side >	(78)	11/269	613	270	R119	
25	ETC S4S3 EDLT 26°	MSC Hi-Side Gobo >	(178)	11/305	613	270		G:R77806 Leaf Breakup
26	ETC S4S3 EDLT 26°	MSR Hi-Side >	(79)	11/281	613	270	R119	
27	ETC S4S3 EDLT 26°	MSR Hi-Side Gobo >	(179)	11/317	613	270		G:R77806 Leaf Breakup

Instrument Schedule**LX 3**

In	Instrument Type	Purpose	Chan	Addr	Pwr C	ND	Frost	Cl & Gobo
1	Elation Fuze Teatro	Moving Profile	(113)	5/1	617	135		
2	ETC Source 4 26°	Spare	(337)	1/134				
3	Elation Fuze Wash FR	Moving Wash	(133)	5/306	618	136		
4	ETC Source 4 26°	Spare	(338)	1/139				
5	Elation Fuze Teatro	Moving Profile	(114)	5/62	617	135		
6	ETC Source 4 26°	Spare	(339)	1/140				
7	Elation Fuze Wash FR	Moving Wash	(134)	5/353	618	136		
8	ETC Source 4 26°	Spare	(340)	1/141				
9	Elation Fuze Teatro	Moving Profile	(115)	5/123	619	137		
9. 5	Multiverse DMX Transmitter	Wireless DMX			653	138		
10	ETC Source 4 26°	Spare	(341)	1/142				
11	Elation Fuze Wash FR	Moving Wash	(135)	5/400	621	295		
12	ETC Source 4 26°	Spare	(342)	1/294				
13	Elation Fuze Teatro	Moving Profile	(116)	5/184	621	296		
14	ETC Source 4 26°	Spare	(343)	1/298				
15	Elation Fuze Wash FR	Moving Wash	(136)	5/447	621	295		
16	ETC Source 4 26°	Spare	(344)	1/297				
17	Elation Fuze Teatro	Moving Profile	(117)	5/245	621	296		

Instrument Schedule**LX 4**

In	Instrument Type	Purpose	Chan	Addr	Pwr C	ND	Frost	Cl & Gobo
1	ETC S4S3 EDLT 26°	USL Hi-Side Gobo <	(160)	12/1	622	145		G:R77806 Leaf Breakup
2	ETC S4S3 EDLT 26°	USL Hi-Side <	(60)	12/37	622	145	R119	
3	ETC S4S3 EDLT 26°	USC Hi-Side Gobo <	(161)	12/13	622	145		G:R77806 Leaf Breakup
4	ETC S4S3 EDLT 26°	USC Hi-Side <	(61)	12/49	622	145	R119	
5	ETC Source 4 36°	Spare	(345)	1/144				
6	ETC CS Spot V 36°	LED Top	(31)	12/145	625	299	R119	
7	ETC S4S3 EDLT 26°	USR Hi-Side Gobo <	(162)	12/25	623	146		G:R77806 Leaf Breakup
8	ETC S4S3 EDLT 26°	USR Hi-Side <	(62)	12/61	623	146	R119	
9	ETC Source 4 36°	Spare	(346)	1/147				
10	ETC CS Spot V 36°	LED Top	(32)	12/153	625	299	R119	
11	ETC Source 4 36°	Spare	(347)	1/148				
12	ETC CS Spot V 36°	LED Top	(33)	12/161	625	299	R119	
13	ETC Source 4 36°	Spare	(348)	1/301				
14	ETC CS Spot V 36°	LED Top	(34)	12/169	625	299	R119	
15	ETC Source 4 36°	Spare	(349)	1/302				
16	ETC S4S3 EDLT 26°	USL Hi-Side >	(80)	12/73	623	146	R119	
17	ETC S4S3 EDLT 26°	USL Hi-Side Gobo >	(180)	12/109	623	146		G:R77806 Leaf Breakup
18	ETC CS Spot V 36°	LED Top	(35)	12/177	625	299	R119	
19	ETC Source 4 36°	Spare	(350)	1/303				
20	ETC S4S3 EDLT 26°	USC Hi-Side >	(81)	12/85	624	300	R119	
21	ETC S4S3 EDLT 26°	USC Hi-Side Gobo >	(181)	12/121	624	300		G:R77806 Leaf Breakup
22	ETC S4S3 EDLT 26°	USR Hi-Side >	(82)	12/97	624	300	R119	
23	ETC S4S3 EDLT 26°	USR Hi-Side Gobo >	(182)	12/133	624	300		G:R77806 Leaf Breakup

Instrument Schedule

Truss

In	Instrument Type	Purpose	Chan	Addr	Pwr C	ND	Frost	Cl & Gobo
1	Elation Fuze Teatro	Moving Profile	(118)	6/1	647	159		
2	Elation Fuze Wash FR	Moving Wash	(137)	6/306	648	160		
3	Elation Fuze Teatro	Moving Profile	(119)	6/62	647	159		
4	Elation Fuze Wash FR	Moving Wash	(138)	6/353	648	160		
5	Elation Fuze Teatro	Moving Profile	(120)	6/123	649	161		
6	Elation Fuze Wash FR	Moving Wash	(139)	6/400	650	162		
7	Elation Fuze Teatro	Moving Profile	(121)	6/184	651	163		
8	Elation Fuze Wash FR	Moving Wash	(140)	6/447	650	162		
9	Elation Fuze Teatro	Moving Profile	(122)	6/245	651	163		

Instrument Schedule**LX 5**

In	Instrument Type	Purpose	Chan	Addr	Pwr C	ND	Frost	Cl & Gobo
1	ETC S4S3 EDLT 26°	Far USL Hi-Side Gobo <	(163)	12/185	626	187		G:R77806 Leaf Breakup
2	ETC S4S3 EDLT 26°	Far USL Hi-Side <	(63)	12/221	626	187	R119	
3	ETC S4S3 EDLT 26°	Far USC Hi-Side Gobo <	(164)	12/197	626	187		G:R77806 Leaf Breakup
4	ETC S4S3 EDLT 26°	Far USC Hi-Side <	(64)	12/233	626	187	R119	
5	ETC Source 4 36°	Spare	(351)	1/179				
6	ETC CS Spot V 36°	LED Top	(36)	12/329	629	337	R119	
7	ETC S4S3 EDLT 26°	Far USR Hi-Side Gobo <	(165)	12/209	627	188		G:R77806 Leaf Breakup
8	ETC S4S3 EDLT 26°	Far USR Hi-Side <	(65)	12/245	627	188	R119	
9	ETC Source 4 36°	Spare	(352)	1/180				
10	ETC CS Spot V 36°	LED Top	(37)	12/337	629	337	R119	
11	ETC Source 4 36°	Spare	(353)	1/181				
12	ETC CS Spot V 36°	LED Top	(38)	12/345	629	337	R119	
13	ETC Source 4 36°	Spare	(354)	1/329				
14	ETC CS Spot V 36°	LED Top	(39)	12/353	629	337	R119	
15	ETC Source 4 36°	Spare	(355)	1/330				
16	ETC S4S3 EDLT 26°	Far USL Hi-Side >	(83)	12/257	627	188	R119	
17	ETC S4S3 EDLT 26°	Far USL Hi-Side Gobo >	(183)	12/293	627	188		G:R77806 Leaf Breakup
18	ETC CS Spot V 36°	LED Top	(40)	12/361	629	337	R119	
19	ETC Source 4 36°	Spare	(356)	1/331				
20	ETC S4S3 EDLT 26°	Far USC Hi-Side >	(84)	12/269	628	338	R119	
21	ETC S4S3 EDLT 26°	Far USC Hi-Side Gobo >	(184)	12/305	628	338		G:R77806 Leaf Breakup

Instrument Schedule**LX 5**

In	Instrument Type	Purpose	Chan	Addr	Pwr C	ND	Frost	Cl & Gobo
22	ETC S4S3 EDLT 26°	Far USR Hi-Side >	(85)	12/281	628	338	R119	
23	ETC S4S3 EDLT 26°	Far USR Hi-Side Gobo >	(185)	12/317	628	338		G:R77806 Leaf Breakup

LX 6

In	Instrument Type	Purpose	Chan	Addr	Pwr C	ND	Frost	Cl & Gobo
1	ETC S4S3 w/CYC Adapter	CYC Top	(451)	12/371	630	189		
2	ETC S4S3 w/CYC Adapter	CYC Top	(452)	12/383	630	189		
3	ETC S4S3 w/CYC Adapter	CYC Top	(453)	12/395	630	189		
4	ETC S4S3 w/CYC Adapter	CYC Top	(454)	12/407	630	189		
5	ETC S4S3 w/CYC Adapter	CYC Top	(455)	12/419	630	189		
6	ETC S4S3 w/CYC Adapter	CYC Top	(456)	12/431	631	190		
7	ETC S4S3 w/CYC Adapter	CYC Top	(457)	12/443	631	190		
8	ETC S4S3 w/CYC Adapter	CYC Top	(458)	12/455	631	190		
9	ETC S4S3 w/CYC Adapter	CYC Top	(459)	12/467	631	190		

Instrument Schedule

Groundrow

In	Instrument Type	Purpose	Chan	Addr	Pwr C	ND	Frost	Cl & Gobo
1	ETC S4S3 w/CYC Adapter	CYC Bottom	(461)	14/401	654	401		
2	ETC S4S3 w/CYC Adapter	CYC Bottom	(462)	14/413	654	401		
3	ETC S4S3 w/CYC Adapter	CYC Bottom	(463)	14/425	654	401		
4	ETC S4S3 w/CYC Adapter	CYC Bottom	(464)	14/437	654	401		
5	ETC S4S3 w/CYC Adapter	CYC Bottom	(465)	14/449	654	401		
6	ETC S4S3 w/CYC Adapter	CYC Bottom	(466)	14/461	654	402		
7	ETC S4S3 w/CYC Adapter	CYC Bottom	(467)	14/473	654	402		
8	ETC S4S3 w/CYC Adapter	CYC Bottom	(468)	14/485	654	402		

Instrument Schedule**SL Box Boom**

In	Instrument Type	Purpose	Chan	Addr	Pwr C	ND	Frost	Cl & Gobo
1	ETC S4S3 XDLT 19°	Apron SR Hi-Side <	(53)	3/25	643	211	R132	
2	ETC S4S3 XDLT 19°	Apron R Hi-Side Gobo <	(153)	3/61	644	212		G:R77806 Leaf Breakup
3	ETC S4S3 EDLT 26°	Apron CS Hi-Side <	(52)	3/13	643	211	R132	
4	ETC S4S3 EDLT 26°	Apron C Hi-Side Gobo <	(152)	3/49	644	212		G:R77806 Leaf Breakup
5	ETC S4S3 EDLT 36°	Apron SL Hi-Side <	(51)	3/1	643	211	R132	
6	ETC S4S3 EDLT 36°	Apron L Hi-Side Gobo <	(151)	3/37	644	212		G:R77806 Leaf Breakup
7	ETC CS Spot V 26°	Prosc. Side Fill <	(202)	3/153	643	211	R132	
8	ETC Source 4 26°	Prosc. Gobo Side Fill <	(242)	1/213				C:R3204 G:R77721 Small Brkp.
9	ETC Source 4 5°	Spare	(373)	1/214				
10	Strand Pattern 123	Stairs	(381)	1/215				

Instrument Schedule**SR Box Boom**

In	Instrument Type	Purpose	Chan	Addr	Pwr C	ND	Frost	Cl & Gobo
1	ETC S4S3 XDLT 19°	Apron SL Hi-Side >	(71)	3/73	641	231	R132	
2	ETC S4S3 XDLT 19°	Apron L Hi-Side Gobo >	(171)	3/109	642	232		G:R77806 Leaf Breakup
3	ETC S4S3 EDLT 26°	Apron CS Hi-Side >	(72)	3/85	641	231	R132	
4	ETC S4S3 EDLT 26°	Apron C Hi-Side Gobo >	(172)	3/121	642	232		G:R77806 Leaf Breakup
5	ETC S4S3 EDLT 36°	Apron SR Hi-Side >	(73)	3/97	641	231	R132	
6	ETC S4S3 EDLT 36°	Apron R Hi-Side Gobo >	(173)	3/133	642	232		G:R77806 Leaf Breakup
7	ETC CS Spot V 26°	Prosc. Side Fill >	(222)	3/177	641	231	R132	
8	ETC Source 4 26°	Prosc. Gobo Side Fill >	(262)	1/233				C:R3204 G:R77721 Small Brkp.
9	ETC Source 4 5°	Spare	(376)	1/234				
10	Strand Pattern 123	Stairs	(382)	1/235				

Caliper Boom SL

In	Instrument Type	Purpose	Chan	Addr	Pwr C	ND	Frost	Cl & Gobo
1	ETC Source 4 36°	Curtain Warmers	(499)	1/204				C:L106
2	ETC CS Spot V 19°	Apron SR Side <	(203)	3/161	646	207	R132	
3	ETC Source 4 19°	Apron Gobo SR Side <	(243)	1/206				C:R3204 G:R77721 Small Brkp.
4	ETC CS Spot V 36°	Apron SL Side <	(201)	3/145	646	207	R132	
5	ETC Source 4 36°	Apron SL Gobo Side <	(241)	1/209				C:R3204 G:R77721 Small Brkp.
6	ETC Source 4 36°	Curtain Warmers	(499)	1/204				C:L106

Instrument Schedule

07/17/2026

Caliper Boom SR

In	Instrument Type	Purpose	Chan	Addr	Pwr C	ND	Frost	Cl & Gobo
1	ETC Source 4 36°	Curtain Warmers	(499)	1/224				C:L106
2	ETC CS Spot V 19°	Apron SL Side >	(221)	3/169	645	229	R132	
3	ETC Source 4 19°	Apron SL Gobo Side >	(261)	1/226				C:R3204 G:R77721 Small Brkp.
4	ETC CS Spot V 36°	Apron SR Side >	(223)	3/185	645	229	R132	
5	ETC Source 4 36°	Apron SR Gobo Side >	(263)	1/228				C:R3204 G:R77721 Small Brkp.
6	ETC Source 4 36°	Curtain Warmers	(499)	1/224				C:L106

SL LADDER #1

In	Instrument Type	Purpose	Chan	Addr	Pwr C	ND	Frost	Cl & Gobo
1	ETC CS Spot V 19°	DSR Side <	(205)	14/1	632	370	R132	
2	ETC Source 4 19°	DSR GoboSide <	(245)	1/372				C:R3204 G:R77721 Small Brkp.
3	ETC CS Spot V 26°	DSL Side <	(204)	14/9	632	370	R132	
4	ETC Source 4 26°	DSL Gobo Side <	(244)	1/373				C:R3204 G:R77721 Small Brkp.

SR LADDER #1

In	Instrument Type	Purpose	Chan	Addr	Pwr C	ND	Frost	Cl & Gobo
1	ETC CS Spot V 19°	DSL Side >	(224)	14/71	636	377	R132	
2	ETC Source 4 19°	DSL Gobo Side >	(264)	1/374				C:R3204 G:R77721 Small Brkp.
3	ETC CS Spot V 26°	DSR Side >	(225)	14/79	636	377	R132	
4	ETC Source 4 26°	DSR Gobo Side >	(265)	1/375				C:R3204 G:R77721 Small Brkp.

Instrument Schedule**SL LADDER #2**

In	Instrument Type	Purpose	Chan	Addr	Pwr C	ND	Frost	Cl & Gobo
1	ETC CS Spot V 19°	CSR Side <	(207)	14/17	633	369	R132	
2	ETC Source 4 19°	CSR Gobo Side <	(247)	1/367				C:R3204 G:R77721 Small Brkp.
3	ETC CS Spot V 26°	CSL Side <	(206)	14/25	633	369	R132	
4	ETC Source 4 26°	CSL Gobo Side <	(246)	1/368				C:R3204 G:R77721 Small Brkp.

SR LADDER #2

In	Instrument Type	Purpose	Chan	Addr	Pwr C	ND	Frost	Cl & Gobo
1	ETC CS Spot V 19°	CSL Side >	(226)	14/87	637	378	R132	
2	ETC Source 4 19°	CSL Gobo Side >	(266)	1/379				C:R3204 G:R77721 Small Brkp.
3	ETC CS Spot V 26°	CSR Side >	(227)	14/95	637	378	R132	
4	ETC Source 4 26°	CSR Gobo Side >	(267)	1/380				C:R3204 G:R77721 Small Brkp.

SL LADDER #3

In	Instrument Type	Purpose	Chan	Addr	Pwr C	ND	Frost	Cl & Gobo
1	ETC CS Spot V 19°	USR Side <	(209)	14/33	634	356	R132	
2	ETC Source 4 19°	USR Gobo Side <	(249)	1/361				C:R3204 G:R77721 Small Brkp.
3	ETC CS Spot V 26°	USL Side <	(208)	14/41	634	356	R132	
4	ETC Source 4 26°	USL Gobo Side <	(248)	1/362				C:R3204 G:R77721 Small Brkp.

Instrument Schedule

07/17/2026

SR LADDER #3

In	Instrument Type	Purpose	Chan	Addr	Pwr C	ND	Frost	Cl & Gobo
1	ETC CS Spot V 19°	USL Side >	(228)	14/103	638	391	R132	
2	ETC Source 4 19°	USL Gobo Side >	(268)	1/385				C:R3204 G:R77721 Small Brkp.
3	ETC CS Spot V 26°	USR Side >	(229)	14/111	638	391	R132	
4	ETC Source 4 26°	USR Gobo Side >	(269)	1/386				C:R3204 G:R77721 Small Brkp.

SL LADDER #4

In	Instrument Type	Purpose	Chan	Addr	Pwr C	ND	Frost	Cl & Gobo
1	ETC CS Spot V 19°	Far USR Side<	(211)	14/49	635	355	R132	
2	ETC Source 4 19°	Far USR Gobo Side<	(251)	1/354				C:R3204 G:R77721 Small Brkp.
3	ETC CS Spot V 26°	Far USL Side <	(210)	14/57	635	355	R132	
4	ETC Source 4 26°	Far USL Gobo Side <	(250)	1/357				C:R3204 G:R77721 Small Brkp.

SR LADDER #4

In	Instrument Type	Purpose	Chan	Addr	Pwr C	ND	Frost	Cl & Gobo
1	ETC CS Spot V 19°	Far USL Side >	(230)	14/119	639	392	R132	
2	ETC Source 4 19°	Far USL Gobo Side >	(270)	1/390				C:R3204 G:R77721 Small Brkp.
3	ETC CS Spot V 26°	Far USR Side >	(231)	14/127	639	392	R132	
4	ETC Source 4 26°	Far USR Gobo Side >	(271)	1/393				C:R3204 G:R77721 Small Brkp.

SL DECK

In	Instrument Type	Purpose	Chan	Addr	Pwr C	ND	Frost	Cl & Gobo
1	MDG Atmosphere	HAZER	(491)	8/508		AC		

BOH 2

In	Instrument Type	Purpose	Chan	Addr	Pwr C	ND	Frost	Cl & Gobo
1	ETC Source 4 10°	MFF Banner	(377)	1/447				

Instrument Schedule

BOH 3

In	Instrument Type	Purpose	Chan	Addr	Pwr C	ND	Frost	Cl & Gobo
1	ETC Source 4 19°	Curtain Warmer	(498)	1/450				C:L106

BOH 4

In	Instrument Type	Purpose	Chan	Addr	Pwr C	ND	Frost	Cl & Gobo
1	Spotting Light	Spotting Light	(497)	1/453				
2	ETC Source 4 19°	Curtain Warmer	(498)	1/455				C:L106

BOH 5

In	Instrument Type	Purpose	Chan	Addr	Pwr C	ND	Frost	Cl & Gobo
1	ETC Source 4 10°	MFF Banner	(378)	1/456				

HL Door Pipe

In	Instrument Type	Purpose	Chan	Addr	Pwr C	ND	Frost	Cl & Gobo
1	ETC Source 4 5°	Spare	(374)	1/461				
23	ETC Source 4 5°	Spare	(375)	1/474				

HR Door Pipe

In	Instrument Type	Purpose	Chan	Addr	Pwr C	ND	Frost	Cl & Gobo
1	ETC Source 4 5°	Spare	(371)	1/443				
2	ETC Source 4 5°	Spare	(372)	1/444				

HR Under-Balc.

In	Instrument Type	Purpose	Chan	Addr	Pwr C	ND	Frost	Cl & Gobo
1	ETC Source 4 26°	Face Fill	(362)	1/223				
2	ETC Source 4 26°	Face Fill	(361)	1/222				

HL Under-Balc.

In	Instrument Type	Purpose	Chan	Addr	Pwr C	ND	Frost	Cl & Gobo
1	ETC Source 4 26°	Face Fill	(363)	1/242				
2	ETC Source 4 26°	Face Fill	(364)	1/243				

SL Gallery

In	Instrument Type	Purpose	Chan	Addr	Pwr C	ND	Frost	Cl & Gobo
	PS OPTO	IQ and OPTO PS			652	360		

Instrument Schedule

SL Boom 1

In	Instrument Type	Purpose	Chan	Addr	Pwr C	ND	Frost	Cl & Gobo
1	ETC CS Spot V 26°	Head High in 1 <	(401)	14/141	632	370	R132	
2	ETC CS Spot V 26°	Mid in 1 <	(411)	14/149	632	370	R132	
3	ETC CS Spot V 36°	Overshin in 1 <	(421)	14/157	632	370	R132	
4	ETC CS Spot V 36°	Shin in 1 <	(431)	14/165	632	370	R132	

SR Boom 1

In	Instrument Type	Purpose	Chan	Addr	Pwr C	ND	Frost	Cl & Gobo
1	ETC CS Spot V 26°	Head High in 1 >	(402)	14/271	636	377	R132	
2	ETC CS Spot V 26°	Mid in 1 >	(412)	14/279	636	377	R132	
3	ETC CS Spot V 36°	Overshin in 1 >	(422)	14/287	636	377	R132	
4	ETC CS Spot V 36°	Shin in 1 >	(432)	14/295	636	377	R132	

SL Boom 2

In	Instrument Type	Purpose	Chan	Addr	Pwr C	ND	Frost	Cl & Gobo
1	ETC CS Spot V 26°	Head High in 2 <	(403)	14/173	633	369	R132	
2	ETC CS Spot V 26°	Mid in 2 <	(413)	14/181	633	369	R132	
3	ETC CS Spot V 36°	Overshin in 2 <	(423)	14/189	633	369	R132	
4	ETC CS Spot V 36°	Shin in 2 <	(433)	14/197	633	369	R132	

SR Boom 2

In	Instrument Type	Purpose	Chan	Addr	Pwr C	ND	Frost	Cl & Gobo
1	ETC CS Spot V 26°	Head High in 2 >	(404)	14/303	637	378	R132	
2	ETC CS Spot V 26°	Mid in 2 >	(414)	14/311	637	378	R132	
3	ETC CS Spot V 36°	Overshin in 2 >	(424)	14/319	637	378	R132	
4	ETC CS Spot V 36°	Shin in 2 >	(434)	14/327	637	378	R132	

SL Boom 3

In	Instrument Type	Purpose	Chan	Addr	Pwr C	ND	Frost	Cl & Gobo
1	ETC CS Spot V 26°	Head High in 3 <	(405)	14/205	634	356	R132	
2	ETC CS Spot V 26°	Mid in 3 <	(415)	14/213	634	356	R132	
3	ETC CS Spot V 36°	Overshin in 3 <	(425)	14/221	634	356	R132	
4	ETC CS Spot V 36°	Shin in 3 <	(435)	14/229	634	356	R132	

Instrument Schedule

SR Boom3

In	Instrument Type	Purpose	Chan	Addr	Pwr C	ND	Frost	Cl & Gobo
1	ETC CS Spot V 26°	Head High in 3 >	(406)	14/335	638	391	R132	
2	ETC CS Spot V 26°	Mid in 3 >	(416)	14/343	638	391	R132	
3	ETC CS Spot V 36°	Overshin in 3 >	(426)	14/351	638	391	R132	
4	ETC CS Spot V 36°	Shin in 3 >	(436)	14/359	638	391	R132	

SL Boom 4

In	Instrument Type	Purpose	Chan	Addr	Pwr C	ND	Frost	Cl & Gobo
1	ETC CS Spot V 26°	Head High in 4 <	(407)	14/237	635	355	R132	
2	ETC CS Spot V 26°	Mid in 4 <	(417)	14/245	635	355	R132	
3	ETC CS Spot V 36°	Overshin in 4 <	(427)	14/253	635	355	R132	
4	ETC CS Spot V 36°	Shin in 4 <	(437)	14/261	635	355	R132	

SR Boom 4

In	Instrument Type	Purpose	Chan	Addr	Pwr C	ND	Frost	Cl & Gobo
1	ETC CS Spot V 26°	Head High in 4 >	(408)	14/367	639	392	R132	
2	ETC CS Spot V 26°	Mid in 4 >	(418)	14/375	639	392	R132	
3	ETC CS Spot V 36°	Overshin in 4 >	(428)	14/383	639	392	R132	
4	ETC CS Spot V 36°	Shin in 4 >	(438)	14/391	639	392	R132	

SL Under Gallery

In	Instrument Type	Purpose	Chan	Addr	Pwr C	ND	Frost	Cl & Gobo
1	ETC S4WRD Color II 36°	worklight		4/301	Switch	SW		
2	ETC S4WRD Color II 36°	worklight		4/307	Switch	SW		
3	ETC S4WRD Color II 36°	worklight		4/313	Switch	SW		
4	ETC S4WRD Color II 50°	worklight		4/319	Switch	SW		
5	ETC S4WRD Color II 36°	worklight		4/325	Switch	SW		

Instrument Schedule

SR Under Gallery

In	Instrument Type	Purpose	Chan	Addr	Pwr C	ND	Frost	Cl & Gobo
1	ETC S4WRD Color II 36°	worklight		4/351	Switch	SW		
2	ETC S4WRD Color II 36°	worklight		4/337	Switch	SW		
3	ETC S4WRD Color II 36°	worklight		4/343	Switch	SW		
4	ETC S4WRD Color II 36°	worklight		4/349	Switch	SW		
5	ETC S4WRD Color II 36°	worklight		4/355	Switch	SW		