

TABLE OF CONTENTS

| | | | |
|--------------|---|---------------------|----|
| FOH | 1 | Pipe H | 10 |
| LX 1a | 2 | Pipe I | 11 |
| LX 2 | 3 | SL Boom 1 | 11 |
| LX 2a | 4 | SL Boom 2 | 11 |
| LX 3 | 5 | SL Boom 3 | 12 |
| LX 3a | 6 | SL Boom 4 | 12 |
| LX 4 | 7 | SR Boom 1 | 12 |
| LX 4a | 7 | SR Boom 2 | 12 |
| LX 6 | 8 | SR Boom3 | 13 |
| Pipe A | 8 | SR Boom 4 | 13 |
| Pipe B | 9 | Ceiling | 13 |
| Pipe E | 9 | Non Dim Panel | 14 |
| | | Dimmer Room | 15 |

FOH

| U# | Purpose | Inst Type & Access | Load | Clr & Gbo | Chan | Addr | Dim | ND |
|-----|----------------|-----------------------------|------|-----------|-------|-------|-----|-----|
| 1 | Special | ETC Source 4 26° | 575w | | (201) | | 3 | |
| 2 | Special | ETC Source 4 26° | 575w | | (202) | | 33 | |
| 3 | Wm Front DL | ETC Source 4 26° | 575w | R3409 | (1) | | 4 | |
| 4 | Cool Front DL | ETC Source 4 26° | 575w | R3204 | (11) | | 5 | |
| 5 | Lectern Front | ETC Source 4 26° | 575w | | (200) | | 34 | |
| 6 | Special | ETC Source 4 26° | 575w | | (203) | | 35 | |
| 7 | Special | ETC Source 4 26° | 575w | | (204) | | 6 | |
| 8 | Wm Front DCL | ETC Source 4 26° | 575w | R3409 | (2) | | 7 | |
| 9 | Cool Front DCL | ETC Source 4 26° | 575w | R3204 | (12) | | 8 | |
| 10 | Moving Special | ETC ColorSource Spot DB 26° | 160w | | (101) | 2/141 | | 203 |
| 10a | | I-Cue | | | (101) | 2/147 | | 203 |
| 10b | | DMX Auto Iris | | | (101) | 2/151 | | 203 |
| 11 | Special | ETC Source 4 26° | 575w | | (205) | | 9 | |
| 12 | Wm Front DC | ETC Source 4 26° | 575w | R3409 | (3) | | 1 | |
| 13 | Special | ETC Source 4 26° | 575w | | (206) | | 10 | |
| 14 | HouseLight | 18" Scoop | 500w | | (399) | | 41 | |
| 15 | Special | ETC Source 4 26° | 575w | | (207) | | 11 | |
| 16 | Cool Front DC | ETC Source 4 26° | 575w | R3204 | (13) | | 40 | |
| 17 | Special | ETC Source 4 26° | 575w | | (208) | | 12 | |
| 18 | Moving Special | ETC ColorSource Spot DB 26° | 160w | | (102) | 2/152 | | 203 |
| 18a | | I-Cue | | | (102) | 2/158 | | 203 |
| 18b | | DMX Auto Iris | | | (102) | 2/162 | | 203 |
| 19 | Wm Front DCR | ETC Source 4 26° | 575w | R3409 | (4) | | 13 | |
| 20 | Cool Front DCR | ETC Source 4 26° | 575w | R3204 | (14) | | 14 | |
| 21 | Special | ETC Source 4 26° | 575w | | (209) | | 16 | |

FOH

| U# | Purpose | Inst Type & Access | Load | Clr & Gbo | Chan | Addr | Dim | ND |
|----|---------------|--------------------|------|-----------|-------|------|-----|----|
| 22 | Special | ETC Source 4 26° | 575w | | (210) | | 15 | |
| 23 | Wm Front DR | ETC Source 4 26° | 575w | R3409 | (5) | | 17 | |
| 24 | Cool Front DR | ETC Source 4 26° | 575w | R3204 | (15) | | 18 | |
| 25 | Special | ETC Source 4 26° | 575w | | (211) | | 19 | |
| 26 | Special | ETC Source 4 26° | 575w | | (212) | | 20 | |

LX 1a

| U# | Purpose | Inst Type & Access | Load | Clr & Gbo | Chan | Addr | Dim | ND |
|----|---------|--------------------|------|-----------|-------|------|-----|----|
| 1 | Special | ETC Source 4 36° | 575w | | (213) | | 62 | |
| 2 | Special | ETC Source 4 36° | 575w | | (214) | | 67 | |
| 3 | Special | ETC Source 4 36° | 575w | | (216) | | 76 | |
| 4 | Special | ETC Source 4 36° | 575w | | (217) | | 81 | |

LX 2

| U# | Purpose | Inst Type & Access | Load | Clr & Gbo | Chan | Addr | Dim | ND |
|----|-----------------|--------------------------------|------|-----------|-------|-------|-----|-----|
| 1 | Wm Front UL | ETC Source 4 36° | 575w | R3409 | (6) | | 58 | |
| 2 | Cool Front UL | ETC Source 4 36° | 575w | R3204 | (16) | | 59 | |
| 3 | DCS Band Side < | ETC ColorSource Spot DB 36° | 160w | | (121) | 2/369 | | 201 |
| 4 | Wm Front UCL | ETC Source 4 36° | 575w | R3409 | (7) | | 65 | |
| 5 | Cool Front UCL | ETC Source 4 36° | 575w | R3204 | (17) | | 66 | |
| 6 | Wm Front UC | ETC Source 4 36° | 575w | R3409 | (8) | | 71 | |
| 7 | Cool Front UC | ETC Source 4 36° | 575w | R3204 | (18) | | 73 | |
| 8 | Wm Front UCR | ETC Source 4 36° | 575w | R3409 | (9) | | 77 | |
| 9 | Cool Front UCR | ETC Source 4 36° | 575w | R3204 | (19) | | 78 | |
| 10 | DSC Band Side > | ETC ColorSource Spot DB 36° | 160w | | (122) | 2/375 | | 201 |
| 11 | Wm Front UR | ETC Source 4 36° | 575w | R3409 | (10) | | 83 | |
| 12 | Cool Front UR | ETC Source 4 36° | 575w | R3204 | (20) | | 84 | |

LX 2a

| U# | Purpose | Inst Type & Access | Load | Clr & Gbo | Chan | Addr | Dim | ND |
|----|-------------|--------------------------------------|------|-----------|-------|------|-----|-----|
| 1 | Lectern Top | Patt 23 | 500w | | (199) | | 91 | |
| 2 | LED Top | ETC ColorSource Spot DB 50° | 160w | | (21) | 2/1 | | 201 |
| 3 | Blue Top | 6" Fresnel+7.5in 4 Leaf Barn Door | 1kW | R79 | (41) | | 94 | |
| 4 | Special | ETC Source 4 36°+IRIS | 575w | | (219) | | 95 | |
| 5 | LED Top | ETC ColorSource Spot DB 50° | 160w | | (22) | 2/7 | | 201 |
| 6 | Blue Top | 6" Fresnel+7.5in 4 Leaf Barn Door | 1kW | R79 | (42) | | 96 | |
| 7 | Special | ETC Source 4 36°+IRIS | 575w | | (220) | | 98 | |
| 8 | LED Top | ETC ColorSource Spot DB 50° | 160w | | (23) | 2/13 | | 201 |
| 9 | Blue Top | 6" Fresnel+7.5in 4 Leaf Barn Door | 1kW | R79 | (43) | | 100 | |
| 10 | Special | ETC Source 4 36°+IRIS | 575w | | (221) | | 103 | |
| 11 | LED Top | ETC ColorSource Spot DB 50° | 160w | | (24) | 2/19 | | 201 |
| 12 | Blue Top | 6" Fresnel+7.5in 4 Leaf Barn Door | 1kW | R79 | (44) | | 104 | |
| 13 | Special | ETC Source 4 36°+IRIS | 575w | | (222) | | 105 | |
| 14 | LED Top | ETC ColorSource Spot DB 50° | 160w | | (25) | 2/25 | | 201 |
| 15 | Blue Top | 6" Fresnel+7.5in 4 Leaf Barn Door | 1kW | R79 | (45) | | 106 | |

LX 3

| U# | Purpose | Inst Type & Access | Load | Clr & Gbo | Chan | Addr | Dim | ND |
|-----|----------------|--------------------------------|------|-----------|-------|-------|-----|-----|
| 1 | MSC Band Side< | ETC ColorSource Spot DB 36° | 160w | | (123) | 2/381 | | 202 |
| 2 | Moving Special | ETC ColorSource Spot DB 26° | 160w | | (103) | 2/163 | | 202 |
| 2a | | I-Cue | | | (103) | 2/169 | | 202 |
| 2b | | DMX Iris | | | (103) | 2/173 | | 202 |
| 3 | Moving Light | Varilite VLX Wash | 840w | | (111) | 2/221 | | 101 |
| 4 | Moving Special | ETC ColorSource Spot DB 26° | 160w | | (104) | 2/174 | | 202 |
| 4a | | I-Cue | | | (104) | 2/180 | | 202 |
| 4b | | DMX Iris | | | (104) | 2/184 | | 202 |
| 5 | Moving Light | Varilite VLX Wash | 840w | | (112) | 2/244 | | 101 |
| 6 | Moving Special | ETC ColorSource Spot DB 26° | 160w | | (105) | 2/185 | | 202 |
| 6a | | I-Cue | | | (105) | 2/191 | | 202 |
| 6b | | DMX Iris | | | (105) | 2/195 | | 202 |
| 7 | Moving Light | Varilite VLX Wash | 840w | | (113) | 2/267 | | 102 |
| 8 | Moving Special | ETC ColorSource Spot DB 26° | 160w | | (106) | 2/196 | | 202 |
| 8a | | I-Cue | | | (106) | 2/202 | | 202 |
| 8b | | DMX Auto Iris | | | (106) | 2/206 | | 202 |
| 9 | Moving Light | Varilite VLX Wash | 840w | | (114) | 2/290 | | 102 |
| 10 | Moving Special | ETC ColorSource Spot DB 26° | 160w | | (107) | 2/207 | | 202 |
| 10a | | I-Cue | | | (107) | 2/213 | | 202 |
| 10b | | DMX Iris | | | (107) | 2/217 | | 202 |
| 11 | MSC Band Side> | ETC ColorSource Spot DB 36° | 160w | | (124) | 2/387 | | 202 |

LX 3a

| U# | Purpose | Inst Type & Access | Load | Clr & Gbo | Chan | Addr | Dim | ND |
|----|----------|--------------------------------------|------|-----------|-------|------|-----|-----|
| 1 | LED Top | ETC ColorSource Spot DB 50° | 160w | | (26) | 2/31 | | 203 |
| 2 | Blue Top | 6" Fresnel+7.5in 4 Leaf Barn Door | 1kW | R79 | (46) | | 115 | |
| 3 | Special | ETC Source 4 36°+IRIS | 575w | | (223) | | 120 | |
| 4 | LED Top | ETC ColorSource Spot DB 50° | 160w | | (27) | 2/37 | | 203 |
| 5 | Blue Top | 6" Fresnel+7.5in 4 Leaf Barn Door | 1kW | R79 | (47) | | 122 | |
| 6 | Special | ETC Source 4 36°+IRIS | 575w | | (224) | | 123 | |
| 7 | Special | ETC Source 4 36°+IRIS | 575w | | (225) | | 125 | |
| 8 | LED Top | ETC ColorSource Spot DB 50° | 160w | | (28) | 2/43 | | 203 |
| 9 | Blue Top | 6" Fresnel+7.5in 4 Leaf Barn Door | 1kW | R79 | (48) | | 127 | |
| 10 | Special | ETC Source 4 36°+IRIS | 575w | | (226) | | 128 | |
| 11 | Special | ETC Source 4 36°+IRIS | 575w | | (227) | | 130 | |
| 12 | LED Top | ETC ColorSource Spot DB 50° | 160w | | (29) | 2/49 | | 203 |
| 13 | Blue Top | 6" Fresnel+7.5in 4 Leaf Barn Door | 1kW | R79 | (49) | | 132 | |
| 14 | Special | ETC Source 4 36°+IRIS | 575w | | (228) | | 133 | |
| 15 | LED Top | ETC ColorSource Spot DB 50° | 160w | | (30) | 2/55 | | 203 |
| 16 | Blue Top | 6" Fresnel+7.5in 4 Leaf Barn Door | 1kW | R79 | (50) | | 137 | |

LX 4

| U# | Purpose | Inst Type & Access | Load | Clr & Gbo | Chan | Addr | Dim | ND |
|----|--------------|--------------------|------|-----------|-------|-------|-----|-----|
| 1 | Special | ETC Source 4 36° | 575w | | (229) | | 121 | |
| 2 | Moving Light | Varilite VLX Wash | 840w | | (115) | 3/361 | | 204 |
| 3 | Moving Light | Varilite VLX Wash | 840w | | (116) | 3/384 | | 204 |
| 4 | Special | ETC Source 4 36° | 575w | | (230) | | 131 | |

LX 4a

| U# | Purpose | Inst Type & Access | Load | Clr & Gbo | Chan | Addr | Dim | ND |
|----|----------|-----------------------------------|------|-----------|-------|------|-----|-----|
| 1 | LED Top | ETC ColorSource Spot DB 50° | 160w | | (31) | 2/61 | | 205 |
| 2 | Blue Top | 6" Fresnel+7.5in 4 Leaf Barn Door | 1kW | R79 | (51) | | 147 | |
| 3 | Special | ETC Source 4 26° | 575w | | (231) | | 152 | |
| 4 | LED Top | ETC ColorSource Spot DB 50° | 160w | | (32) | 2/67 | | 205 |
| 5 | Blue Top | 6" Fresnel+7.5in 4 Leaf Barn Door | 1kW | R79 | (52) | | 153 | |
| 6 | LED Top | ETC ColorSource Spot DB 50° | 160w | | (33) | 2/73 | | 205 |
| 7 | Special | ETC Source 4 26° | 575w | | (232) | | 157 | |
| 8 | Blue Top | 6" Fresnel+7.5in 4 Leaf Barn Door | 1kW | R79 | (53) | | 158 | |
| 9 | LED Top | ETC ColorSource Spot DB 50° | 160w | | (34) | 2/79 | | 205 |
| 10 | Blue Top | 6" Fresnel+7.5in 4 Leaf Barn Door | 1kW | R79 | (54) | | 160 | |
| 11 | Special | ETC Source 4 26° | 575w | | (233) | | 161 | |
| 12 | LED Top | ETC ColorSource Spot DB 50° | 160w | | (35) | 2/85 | | 205 |
| 13 | Blue Top | 6" Fresnel+7.5in 4 Leaf Barn Door | 1kW | R79 | (55) | | 166 | |

LX 6

| U# | Purpose | Inst Type & Access | Load | Clr & Gbo | Chan | Addr | Dim | ND |
|----|---------|---------------------|------|-----------|-------|-------|-----|-----|
| 1 | Cyc LX | ETC ColorSource CYC | 133w | | (141) | 2/91 | | 206 |
| 2 | Cyc LX | ETC ColorSource CYC | 133w | | (142) | 2/98 | | 206 |
| 3 | Cyc LX | ETC ColorSource CYC | 133w | | (143) | 2/105 | | 206 |
| 4 | Cyc LX | ETC ColorSource CYC | 133w | | (144) | 2/112 | | 206 |
| 5 | Cyc LX | ETC ColorSource CYC | 133w | | (145) | 2/119 | | 206 |
| 6 | Cyc LX | ETC ColorSource CYC | 133w | | (146) | 2/126 | | 206 |
| 7 | Cyc LX | ETC ColorSource CYC | 133w | | (147) | 2/133 | | 206 |

Pipe A

| U# | Purpose | Inst Type & Access | Load | Clr & Gbo | Chan | Addr | Dim | ND |
|----|-----------------|---------------------------------|------|-----------|------|-------|-----|-----|
| 1 | LED Tips in 1< | ETC ColorSource Spot DB 50° | 160w | | (61) | 3/1 | | 174 |
| 2 | GOBO Tips in 1< | Chauvet Ovation E-910 FC 50° | 240w | T:79572 | (81) | 3/101 | | 174 |
| 3 | LED Tips in 2< | ETC ColorSource Spot DB 50° | 160w | | (63) | 3/13 | | 174 |
| 4 | GOBO Tips in 2< | Chauvet Ovation E-910 FC 50° | 240w | T:79572 | (83) | 3/131 | | 174 |
| 5 | LED Tips in 3< | ETC ColorSource Spot DB 50° | 160w | | (65) | 3/25 | | 174 |
| 6 | GOBO Tips in 3< | Chauvet Ovation E-910 FC 50° | 240w | T:79572 | (85) | 3/161 | | 174 |
| 7 | LED Tips in 4< | ETC ColorSource Spot DB 50° | 160w | | (67) | 3/37 | | 174 |
| 8 | GOBO Tips in 4< | Chauvet Ovation E-910 FC 50° | 240w | T:79572 | (87) | 3/191 | | 174 |

Pipe B

| U# | Purpose | Inst Type & Access | Load | Clr & Gbo | Chan | Addr | Dim | ND |
|----|-----------------|---------------------------------|------|-----------|------|-------|-----|-----|
| 1 | LED Tips in 1< | ETC ColorSource Spot DB 36° | 160w | | (62) | 3/7 | | 173 |
| 2 | GOBO Tips in 1< | Chauvet Ovation E-910 FC 36° | 240w | T:79572 | (82) | 3/116 | | 173 |
| 3 | LED Tips in 2< | ETC ColorSource Spot DB 36° | 160w | | (64) | 3/19 | | 173 |
| 4 | GOBO Tips in 2< | Chauvet Ovation E-910 FC 36° | 240w | T:79572 | (84) | 3/146 | | 173 |
| 5 | LED Tips in 3< | ETC ColorSource Spot DB 36° | 160w | | (66) | 3/31 | | 173 |
| 6 | GOBO Tips in 3< | Chauvet Ovation E-910 FC 36° | 240w | T:79572 | (86) | 3/176 | | 173 |
| 7 | LED Tips in 4< | ETC ColorSource Spot DB 36° | 160w | | (68) | 3/43 | | 173 |
| 8 | GOBO Tips in 4< | Chauvet Ovation E-910 FC 36° | 240w | T:79572 | (88) | 3/206 | | 173 |

Pipe E

| U# | Purpose | Inst Type & Access | Load | Clr & Gbo | Chan | Addr | Dim | ND |
|----|---------|--------------------|------|-----------|-------|------|-----|----|
| 1 | Special | ETC Source 4 36° | 575w | | (215) | | 70 | |
| 4 | Special | ETC Source 4 36° | 575w | | (218) | | 72 | |

Pipe H

| U# | Purpose | Inst Type & Access | Load | Clr & Gbo | Chan | Addr | Dim | ND |
|----|-----------------|---------------------------------|------|-----------|------|-------|-----|-----|
| 1 | LED Tips in 1> | ETC ColorSource Spot DB 36° | 160w | | (72) | 3/57 | | 191 |
| 2 | GOBO Tips in 1> | Chauvet Ovation E-910 FC 36° | 240w | T:A 708 | (92) | 3/256 | | 191 |
| 3 | LED Tips in 2> | ETC ColorSource Spot DB 36° | 160w | | (74) | 3/69 | | 191 |
| 4 | GOBO Tips in 2> | Chauvet Ovation E-910 FC 36° | 240w | T:A 708 | (94) | 3/286 | | 191 |
| 5 | LED Tips in 3> | ETC ColorSource Spot DB 36° | 160w | | (76) | 3/81 | | 191 |
| 6 | GOBO Tips in 3> | Chauvet Ovation E-910 FC 36° | 240w | T:A 708 | (96) | 3/316 | | 191 |
| 7 | LED Tips in 4> | ETC ColorSource Spot DB 36° | 160w | | (78) | 3/93 | | 191 |
| 8 | GOBO Tips in 4> | Chauvet Ovation E-910 FC 36° | 240w | T:A 708 | (98) | 3/346 | | 191 |

Pipe I

| U# | Purpose | Inst Type & Access | Load | Clr & Gbo | Chan | Addr | Dim | ND |
|----|-----------------|---------------------------------|------|-----------|------|-------|-----|-----|
| 1 | LED Tips in 1> | ETC ColorSource Spot DB 50° | 160w | | (71) | 3/51 | | 192 |
| 2 | GOBO Tips in 1> | Chauvet Ovation E-910 FC 50° | 240w | T:A 708 | (91) | 3/241 | | 192 |
| 3 | LED Tips in 2> | ETC ColorSource Spot DB 50° | 160w | | (73) | 3/63 | | 192 |
| 4 | GOBO Tips in 2> | Chauvet Ovation E-910 FC 50° | 240w | T:A 708 | (93) | 3/271 | | 192 |
| 5 | LED Tips in 3> | ETC ColorSource Spot DB 50° | 160w | | (75) | 3/75 | | 192 |
| 6 | GOBO Tips in 3> | Chauvet Ovation E-910 FC 50° | 240w | T:A 708 | (95) | 3/301 | | 192 |
| 7 | LED Tips in 4> | ETC ColorSource Spot DB 50° | 160w | | (77) | 3/87 | | 192 |
| 8 | GOBO Tips in 4> | Chauvet Ovation E-910 FC 50° | 240w | T:A 708 | (97) | 3/331 | | 192 |

SL Boom 1

| U# | Purpose | Inst Type & Access | Load | Clr & Gbo | Chan | Addr | Dim | ND |
|----|------------------|--------------------|------|-----------|-------|------|-----|----|
| 1 | Head High in 1 < | ETC Source 4 | 575w | | (301) | | 21 | |
| 2 | Mid in 1 < | ETC Source 4 | 575w | | (311) | | 22 | |
| 3 | Overshin in 1 < | ETC Source 4 | 575w | | (321) | | 23 | |
| 4 | Shin in 1 < | ETC Source 4 | 575w | | (331) | | 24 | |

SL Boom 2

| U# | Purpose | Inst Type & Access | Load | Clr & Gbo | Chan | Addr | Dim | ND |
|----|------------------|--------------------|------|-----------|-------|------|-----|----|
| 1 | Head High in 2 < | ETC Source 4 | 575w | | (303) | | 25 | |
| 2 | Mid in 2 < | ETC Source 4 | 575w | | (313) | | 26 | |
| 3 | Overshin in 2 < | ETC Source 4 | 575w | | (323) | | 27 | |
| 4 | Shin in 2 < | ETC Source 4 | 575w | | (333) | | 28 | |

SL Boom 3

| U# | Purpose | Inst Type & Access | Load | Clr & Gbo | Chan | Addr | Dim | ND |
|----|------------------|--------------------|------|-----------|-------|------|-----|----|
| 1 | Head High in 3 < | ETC Source 4 | 575w | | (305) | | 29 | |
| 2 | Mid in 3 < | ETC Source 4 | 575w | | (315) | | 30 | |
| 3 | Overshin in 3 < | ETC Source 4 | 575w | | (325) | | 31 | |
| 4 | Shin in 3 < | ETC Source 4 | 575w | | (335) | | 32 | |

SL Boom 4

| U# | Purpose | Inst Type & Access | Load | Clr & Gbo | Chan | Addr | Dim | ND |
|----|------------------|--------------------|------|-----------|-------|------|-----|----|
| 1 | Head High in 4 < | ETC Source 4 | 575w | | (307) | | 148 | |
| 2 | Mid in 4 < | ETC Source 4 | 575w | | (317) | | 149 | |
| 3 | Overshin in 4 < | ETC Source 4 | 575w | | (327) | | 150 | |
| 4 | Shin in 4 < | ETC Source 4 | 575w | | (337) | | 151 | |

SR Boom 1

| U# | Purpose | Inst Type & Access | Load | Clr & Gbo | Chan | Addr | Dim | ND |
|----|------------------|--------------------|------|-----------|-------|------|-----|----|
| 1 | Head High in 1 > | ETC Source 4 | 575w | | (302) | | 51 | |
| 2 | Mid in 1 > | ETC Source 4 | 575w | | (312) | | 52 | |
| 3 | Overshin in 1 > | ETC Source 4 | 575w | | (322) | | 53 | |
| 4 | Shin in 1 > | ETC Source 4 | 575w | | (332) | | 54 | |

SR Boom 2

| U# | Purpose | Inst Type & Access | Load | Clr & Gbo | Chan | Addr | Dim | ND |
|----|------------------|--------------------|------|-----------|-------|------|-----|----|
| 1 | Head High in 2 > | ETC Source 4 | 575w | | (304) | | 47 | |
| 2 | Mid in 2 > | ETC Source 4 | 575w | | (314) | | 48 | |
| 3 | Overshin in 2 > | ETC Source 4 | 575w | | (324) | | 49 | |
| 4 | Shin in 2 > | ETC Source 4 | 575w | | (334) | | 50 | |

SR Boom3

| U# | Purpose | Inst Type & Access | Load | Clr & Gbo | Chan | Addr | Dim | ND |
|----|------------------|--------------------|------|-----------|-------|------|-----|----|
| 1 | Head High in 3 > | ETC Source 4 | 575w | | (306) | | 43 | |
| 2 | Mid in 3 > | ETC Source 4 | 575w | | (316) | | 44 | |
| 3 | Overshin in 3 > | ETC Source 4 | 575w | | (326) | | 45 | |
| 4 | Shin in 3 > | ETC Source 4 | 575w | | (336) | | 46 | |

SR Boom 4

| U# | Purpose | Inst Type & Access | Load | Clr & Gbo | Chan | Addr | Dim | ND |
|----|------------------|--------------------|------|-----------|-------|------|-----|----|
| 1 | Head High in 4 > | ETC Source 4 | 575w | | (308) | | 162 | |
| 2 | Mid in 4 > | ETC Source 4 | 575w | | (318) | | 163 | |
| 3 | Overshin in 4 > | ETC Source 4 | 575w | | (328) | | 164 | |
| 4 | Shin in 4 > | ETC Source 4 | 575w | | (338) | | 165 | |

Ceiling

| U# | Purpose | Inst Type & Access | Load | Clr & Gbo | Chan | Addr | Dim | ND |
|----|------------------------|--------------------|------|-----------|-------|------|-----|-----|
| 1 | Houselights in Ceiling | Potlight | 3kW | | (400) | | 512 | 512 |

Non Dim Panel

| U# | Purpose | Inst Type & Access | Load | Clr & Gbo | Chan | Addr | Dim | ND |
|----|--|--------------------|------|-----------|-------|------|-----|-----|
| 1 | ND1 - LX 2A ColorSource Spots | Relay | | | (401) | | 201 | |
| 1 | ND1 - LX 2A ColorSource Spots | Relay | | | (401) | | 201 | 201 |
| 2 | ND2 - LX 3 & FOH i- Cues, Fixtures & Irises | Relay | | | (402) | | 202 | |
| 2 | ND2 - LX 3 & FOH i- Cues, Fixtures & Irises | Relay | | | (402) | | 202 | 202 |
| 3 | ND3 - LX 3A ColorSource Spots | Relay | | | (403) | | 203 | |
| 3 | ND3 - LX 3A ColorSource Spots | Relay | | | (403) | | 203 | 203 |
| 4 | ND4 - LX 4 VLX Power | Relay | | | (404) | | 204 | |
| 4 | ND4 - LX 4 VLX Power | Relay | | | (404) | | 204 | 204 |
| 6 | ND5 - LX 4a ColorSource Spots | Relay | | | (405) | | 205 | |
| 6 | ND6 - LX 6 ColorSource Cycs | Relay | | | (406) | | 206 | |
| 6 | ND5 - LX 4a ColorSource Spots | Relay | | | (405) | | 205 | 205 |
| 6 | ND6 - LX 6 ColorSource Cycs | Relay | | | (406) | | 206 | 206 |

Dimmer Room

| U# | Purpose | Inst Type & Access | Load | Clr & Gbo | Chan | Addr | Dim | ND |
|----|---------------------------|------------------------|------|-----------|-------|------|-----|-----|
| 1 | LX 3 - VLXs SL x 2 | Modified Dimmer Module | | | (Bkr) | | 101 | 101 |
| 2 | LX 3 - VLXs SR x 2 | Modified Dimmer Module | | | (Bkr) | | 102 | 102 |
| 3 | Pipe B SL Tips (onstage) | Modified Dimmer Module | | | (Bkr) | | 173 | 173 |
| 4 | Pipe A SL Tips (offstage) | Modified Dimmer Module | | | (Bkr) | | 174 | 174 |
| 6 | Pipe H SR Tips (onstage) | Modified Dimmer Module | | | (Bkr) | | 191 | 191 |
| 6 | Pipe I SR Tips (offstage) | Modified Dimmer Module | | | (Bkr) | | 192 | 192 |